# **BAR PULLERS FOR CNC LATHES**

# **SBM BAR PULLERS**

**Coolant or Air Actuated** 2, 3 & 4 Finger Models

An Inexpensive And Simple Way To Automate Your CNC Lathe-Automatically Pulls And Precisely Positions Bar Stock Through The Chuck, Eliminating Manual Loading And Unloading Of Each And Every Part!



Ε

No Down Time-machine continues to run, freeing operator to work other jobs. Self Adjusting & Self Releasing-After initial setting, no

adjustment required for different sizes, and needs only 1/4" of bar length to pull bar!

2, 3 & 4 Finger Design-Holds round and square parts. Can also hold hex and flat parts with 2 fingers. Pull Threaded or Delicate Material-Simply use the optional

soft steel, aluminum, brass or delrin fingers.


Bar Can Be Pulled and Positioned Multiple Times for machining various sections of the part before cutoff. Great for Sub-Spindle Lathes- use as a "pick and place" device for finished parts.

Quick Installation- comes complete with fingers and bar support collar...be "up and running" within 1 hour!

Increase your PROFITS by \$50,000-\$100,000 per year!



F





Е

Mini Puller

**BU-MGAFHS4** 

**BU-MGAFSS4** 

**BU-MGAFAL4** 

**BU-MGAFBR4** 

**BU-MGAFDL4** 

Ď

Price

\$69.00

\$69.00

\$69.00

\$69.00

\$69.00

**RISK FREE GUARANTEE!** 

Use the SBM Bar Puller for 30 Days, and if you are not Completely Satisfied, you can return it for your money back ... No Questions Asked!



3 Finger Model 2 Finger Model

| Shank<br>Type | # of<br>Fingers | Part<br>Number       | Price    |
|---------------|-----------------|----------------------|----------|
| MINI BAR PUL  |                 |                      |          |
| 5/8" Round    | 4               | \$359.00             |          |
| 16mm Round    | 4               | BU-MGAR16MM          | \$489.00 |
| LARGE BAR F   | ULLER-          | 1/8" to 3-1/8" Capac | ity      |

|                   | 022211 | no to o no ouput |          |
|-------------------|--------|------------------|----------|
| 4" David          | 2      | BU-GA1000-2      | \$475.00 |
| 1" Round<br>Shank | 3      | BU-GA1000-3F     | \$395.00 |
| Ondrik            | 4      | BU-GA1000        | \$395.00 |
| VDI 30            | 4      | BU-GA1000VDI-30  | \$599.00 |
| VDI 40            | 4      | BU-GA1000VDI-40  | \$599.00 |

G

F

С

# EARANCE DIMENSIONS

| Size         | Gripping<br>Range           | Α      | в      | с      | D     | Е      | F      |
|--------------|-----------------------------|--------|--------|--------|-------|--------|--------|
| Large Puller | 1/8" to 2 -1/2" 1st setting | 3 5/8" | 2 1/2" | 2 7/8" | Shank | 1 3/4" | 2 3/4" |
| Large Fuller | 3/4" to 3- 1/8" 2nd setting | 4"     | 3 1/8" | 2 7/8" | Shank | _      | 2 3/4" |
| Mini Puller  | 1/8" to 1 1/8"              | 1 5/8" | 1 1/8" | 1 7/8" | Shank | 1 3/4" | 1 5/8" |

SBM Bar Pullers are shipped complete with 1 set of hard steel fingers and 1 bar support collar. (Mini Puller comes with 1.25" collar, Large Puller comes with 3" collar)

### BAR PULLER ACCESSORIES

Save Time-Stock Up on Additional Collars




Made from self-lubricating UHMW polyethylene!

#### **Bar Support Collars**

| Width | OD     | Part Number    | Price   |
|-------|--------|----------------|---------|
|       | 1 1/4" |                | \$11.50 |
| 3/4"  | 2 1/2" | BU-COLLAR-2.50 | \$13.00 |
|       | 3"     | BU-COLLAR-3.00 | \$14.00 |

## INSTALLATION









3. Place SBM Bar Puller in tool station.

5. Program machine

B

**Replacement Fingers** 

are 100% compatible with

"Omni" bar pullers!

Finger Type

Hard Steel

Soft Steel

Aluminum

Brass

Delrin

**Replacement Fingers (Set of 4)** 

Large Puller

**BU-GAFHS4** 

**BU-GAFSS4** 

**BU-GAFAL4** 

**BU-GAFBR4** 

**BU-GAFDL4** 

A

4. Coolant or Air externally or internally actuated

NOTE: It is important that under no circumstances should any length of bar be left sticking outside the drawtube. This can result in damage to the machine and injury to the operator.

barstock. Tighten set screw

2. Place barstock in drawtube



-ATHE WORKHOLDING

CHUCK JAWS

**MACHINE VISES** 

RETENTION KNOBS ER, DA, TG COLLETS

TOOLHOLDERS

TAP HOLDERS

VISE JAWS

LAT STOCK/DRILL ROD

**MRO & SAFETY** 

# BAR PULLERS FOR CNC LATHES

### Automate Any CNC Lathe!

Bar pullers provide a simple, inexpensive method for automating any CNC lathe. Bar Pullers cost much less than a bar feed and do not use up valuable floor space. Providing a maintenance-free operation, bar pullers are very easy to set up and use- no electrical interface is required. A wide gripping range is obtained from a compact design and they can be easily moved from one machine to another.

## CNC COMPACT BAR PULLER

**Extremely compact - Designed for small CNC** machines where tool interference is a problem.

#### FEATURES:

- Eliminates the need for expensive bar feeds.
  Gripping range from 1/8"- 4".
  Flexible heat-treated steel fingers provide strong gripping force.
- Also available in VDI shank styles. Standard jaws have a serrated gripping surface for increased holding power (smooth jaws available)
- Unit easily handles round, square, and hex stock.
- Finger holders and racks are serrated to provide positive location. All wear subjected parts are hardened for strength and long life.
- Comes with one set of standard jaws and one blank spindle bushing







6  $\bigcirc$  $\bigcirc$ 

|   | Shank<br>Size | Gripping<br>Range | Α     | В     | с      | Part<br>Number | Price<br>Each |
|---|---------------|-------------------|-------|-------|--------|----------------|---------------|
| Δ | 1/2" SQ       | 1/8"– 1 5/8"      | 2 1/8 | 3 3/4 | 1 3/16 | ROY-43300      | \$769.30      |
| Î | 3/4" SQ       | 1/8"- 2¼"         | 2 5/8 | 3 3/4 | 1 3/16 | ROY-43302      | \$769.30      |
|   | 1" SQ         | 1/8"- 21⁄4"       | 2 5/8 | 3 3/4 | 1 3/16 | ROY-43304      | \$769.30      |
| 1 | 1" SQ         | 1/8"– 3"          | 3 5/8 | 3 3/4 | 1 3/16 | ROY-43306      | \$819.28      |

| Compact M | odel Rep | lacement l | Parts |
|-----------|----------|------------|-------|
|           |          |            |       |

| Part<br>Number | Price<br>Per Set                 |
|----------------|----------------------------------|
| ROY-43505      | \$96.04                          |
| ROY-43500      | \$138.18                         |
| ROY-43502      | \$168.56                         |
|                | Number<br>ROY-43505<br>ROY-43500 |

# **CNC HEAVY DUTY BAR PULLER**

- Gripping range from 1/8" to 6-1/2". Gripping force is easily adjusted by altering spring pressure. Available in square, round, and VDI shank styles.
- Jaws have two gripping surfaces:
- Serrated for increased gripping power Smooth to help prevent marking.

**Square Shank** 

**Round Shank** 

С

REPLACEMENT JAWS

Standard

- Unit easily handles round, square, and hex stock.
- Jaws and racks are serrated to provide positive location.
- All wear subjected parts are hardened for strength and long life. Eliminates the need for expensive bar feeds.

8 8

С

B

-B

- Comes with one set of standard jaws and one blank spindle bushing.



**Gripping Range** 

Extra Cap.

Jaws

1-7/8"- 3-3/4'

1-7/8"- 3-3/4

1-7/8"- 5-3/8

1-7/8"- 5-1/2'

1-7/8"- 6-1/2"

Standard

Jaws

1/8" - 2-1/4'

1/8" - 2-1/4

1/8" - 3-1/2'

1/8" - 3-5/8'

1/8" - 4-7/8"

Square

Shank

3/4" SQ

1" SQ

1" SO

1" SQ

1" SQ

CARBIDE INSERTS THREADING/GROOVING

**DRILL CHUCKS** TAP HOLDERS

**CUTTING TOOLS** 

|                | Grippin          | ig Range           |        |          |        |                |               |
|----------------|------------------|--------------------|--------|----------|--------|----------------|---------------|
| Round<br>Shank | Standard<br>Jaws | Extra Cap.<br>Jaws | Α      | В        | с      | Part<br>Number | Price<br>Each |
| 1" dia.        | 1/8" - 2-1/4"    | 1-7/8" - 3-3/4"    | 3-7/8" | 2 -5/16" | 1-1/2" | ROY-43400      | \$1,461.1     |
| 1-1/4" dia     | 1/8" - 2-1/4"    | 1-7/8" - 3-3/4"    | 3-7/8" | 2 -5/16" | 1-1/2" | ROY-43402      | \$1,461.1     |
| 1-1/4" dia     | 1/8" - 3-1/2"    | 1-7/8" - 5-3/8"    | 5-3/8" | 2 -5/16" | 1-1/2" | ROY-43404      | \$1,526.8     |

Description

Standard

Extra-Capacity

Α

3-7/8"

3-7/8

4-3/4

5"

6-3/4"

в

2-9/16"

2-9/16

2-9/16

2-3/4"

2-3/4"

С

1-1/2

 $1 - 1/2^{2}$ 

1-1/2'

1-3/4"

1-3/4"

Part

Number

ROY-43510

ROY-43512

PRODUCTS

,461.18 461.18

526.84

|    | O  |
|----|----|
| н  | Ö  |
| Q  | Õ  |
| 2  |    |
| ່ທ | 2  |
| Ξí | f  |
| Q  | ¥  |
| ~  | ÷. |

ĢE

PRECISION TOOLS

DEBURRING

Call Us Or Visit Our Website For Our Complete Selection!

Extra-Capacity

2019-20 MASTER CATALOG

LATHE CHUCKS LIVE CENTERS OYAL

> VISE ACCESSORIES **VISE JAWS**

> STRAIGHT SHANK COLLET HOLDERS

Α

**Right Hand Part** 

Number

ROY-43360

ROY-43366

ROY-43370

ROY-43372

ROY-43376

Price

Per Set

\$189.14

\$219.52



**'OYAL** 



\$1.224.02

\$1,277.92

\$1,318.10

\$1,474.90

MACHINERY

# **BAR PULLERS FOR CNC LATHES**

### **GRIPPEX COOLANT ACTUATED BAR PULLERS** Model 20L

The patented Grippex 20L CNC Bar Puller is actuated by a CNC lathe's coolant system. As coolant is fed through the unit, it pushes a piston forward which causes the fingers to close down on the bar stock. When the coolant is turned off, the fingers automatically spring open. With this bar puller, no adjustment by the operator is necessary - the fingers simply close down until they contact the bar. This feature is especially useful for making multiple pulls on the same workpiece, even after the OD has been turned.


The Grippex Coolant Actuated Bar Puller is also useful as a part loader/unloader. When fitted with special jaws, this tool can:

- Remove finished parts from a machine's subspindle and place them into the parts catcher,
- eliminating the need for unreliable ejectors and enables the subspindle to swallow longer parts. Remove a bar remnant and drop it in the parts catcher for disposal, preventing the remnant from falling into the chip conveyor where it could become jammed and cause damage to the conveyor.


The Grippex Bar Puller achieves very high gripping force through a patented finger mechanism that pivots on roller bearings. As little as 15 psi of coolant pressure is enough to enable the Grippex to pull a 210 lb. bar! Unit can also be operated by air pressure for custom applications.

#### Here's How It Works:






С




with it





Can Be Operated By Coolant Or



Price

\$1,462.16

\$1.462.16

\$1,462.16

́ОУАІ

Inserts & holder not included

PRODUCTS

Optimize everything

Part


Number

ROY-43140

ROY-43145

ROY-43150

TAP HOLDERS B Α **TURNING & BORING** 



Replacement Finger Sets Robot Gripper Jaw Set

Coolant Adapter

### **Grippex Bar Puller Accessories**

| Description            | Capacity  | Part<br>Number | Set<br>Price |
|------------------------|---|----------------|--------------|
|                        | 1/8" - 2-3/8"   | ROY-43170      | \$162.68     |
| Replacement<br>Fingers |   |                | \$177.38     |
| gere                   | 5/16" - 4-1/8"  | ROY-43180      | \$332.22     |
| 1                      | Replacement Inserts   | ROY-43185      | \$119.56     |
|                        | Coolant Adapter   | ROY-43190      | \$119.56     |
|                        | Jaw Set-for removing finished parts dle or remnants from main spindle | ROY-43106      | \$209.72     |

D

2-11/16

2-11/16

2-11/16


#### COMBINATION CNC BAR PULLER WITH **CUT-OFF TOOL**

### Eliminates the need to index between cut-off and pulling operations because both tools

- occupy the same turret location.

  Reduced Indexing Time, Set-up Time and Cycle Time
  Compact design good for small CNC machines where tool interference is a problem.

- Gripping range from 1/8". 4", and handles round, square and hex stock.
  Flexible heat-treated steel fingers provide strong gripping force.
  Standard jaws have a serrated gripping surface for increased holding power



### **Compatibility Chart**

Replacement Insert Sets

| Brand      | 1/2" or 3/4"<br>Shank | 1" Shank     |     | Shank<br>Size | Gripping<br>Range | А     | в       | с      | D1    | Е     | Right Hand<br>Part Number | Price      |
|------------|-----------------------|--------------|-----|---------------|-------------------|-------|---------|--------|-------|-------|---------------------------|------------|
| Carboloy   | 150.10-20-3           | 150.10-25-3  | - B | 1/2" SQ       | 1/8-1 5/8         | 2 1/8 | 4 11/16 | 1-3/16 | 7/8   | 0.125 | ROY-43452                 | \$1,000.58 |
| Iscar      | SGFH26-3              | SGFH32-3     |     | 3/4" SQ       | 1/8-2 1/4         | 2 5/8 | 4 3/4   | 1-3/16 | 7/8   | 0.125 | ROY-43456                 | \$1,027.04 |
| Kennametal | DSB4-340-105          | DSB5-340-110 |     | 1" SQ         | 1/8-2 1/4         | 2 5/8 | 6 3/8   | 1-3/16 | 1-1/4 | 0.125 | ROY-43460                 | \$1.042.72 |
| Sandvik    | 151.2-21-30           | 151.2-25-30  |     | 1" SQ         | 1/8-3             | 3 5/8 | 6 3/8   | 1-3/16 | 1-1/4 | 0.125 | ROY-43464                 | \$1,078.00 |
| Valenite   | VH101 26 3            | VH101 32 3   |     | 1" SQ         | 1/8-4             | 3 5/8 | 6 3/8   | 1-3/16 | 1-1/4 | 0.125 | ROY-43468                 | \$1,225.98 |

Call Us Today For All Of Your Machine Tool Needs!

# **2019-20 MASTER CATALOG**

**MACHINE VISES** 

**RETENTION KNOBS** ER, DA, TG COLLETS

TOOLHOLDERS

**INDEXABLE DRILLS** 

**ENDMILLS, DRILLS** TAPS & REAMERS

**MEASURING TOOLS** ABRASIVES

LAT STOCK/DRILL ROD **MRO & SAFETY** 

VISE JAWS

# MANUAL BAR PULLERS

# BAR STOCK PULLER FOR CNC LATHES

The lightweight Dunham Bar-Pull, designed for CNC lathes, is self-activating with no moving parts. It does not interfere with other tools or cause turret imbalance, and installs easily in minutes. It uses a shank (available in 7 diameters from 1/2" to 1-1/2") that is clamped in the turret lathe like a boring bar. The grippers are hand turned onto the shank thread or onto adapters that attach to the shank to accept smaller diameter grippers. The grippers are slotted like standard collets and as they advance over the bar, are forced open to firmly grasp the bar for pulling out of the spindle to the programmed length. The gripping and release of the bar is automatic, and the Bar-Pull needs only 1/4" of the bar to engage.



- How it works: Mount shank in turret, screw on adapter

- Mount shank in turret, screw on adapter (if required) and gripper. Insert bar through back of spindle and clamp with collet or chuck. Face off minimum 1/4" projection using parting-off command in CNC program. Index turret to Bar-Pull and traverse turret burget pringle for programmend distance toward spindle for programmed distance, silding gripper over stock. Release clamping pressure on bar. Retract turret programmed distance.

- Reclamp bar
- Retract turret to clear gripper from bar. Begin programmed machining cycle. Repeat until all bar is used.

#### Shank

2

## **BAR PULLER KITS**

Save time and money by ordering a bar puller kit. Shank must be ordered separately at an additional cost. Kit for gang tool CNC lathes also available-please call for more information.




#### RRETGANG™ FOR TURRET L ATHES For Gang Style Rapid Tool Change Wherever You Can Mount



An OD Toolholder, You Can Mount A Turretgang!





- Reduces the need for second operations
- Coolant Thru toolholder design

| Turret<br>Style | Shank<br>Size E | Head<br>Ext. D | No. Of<br>Tool Loc. | Tool Loc.<br>Size F | Location<br>Spacing H | Part<br>Number | Price<br>Each |
|-----------------|-----------------|----------------|---------------------|---------------------|-----------------------|----------------|---------------|
|                 | .750            | 3.50"          | 3                   | .750                | 1.200"                | FA-1C35-3CGR   | \$324.48      |
| Channel         | 1.000           | 2.30"          | 2                   | .625                | 1.200"                | FA-1E23-2BGR   | \$307.89      |
|                 | 1.000           | 3.50"          | 3                   |                     | 1.200"                | FA-1E35-3CGR   | \$324.48      |

 $\neg$ 

FFATURES.

ADAPTER

Adaptor

Size

5/8'

1'

SHANKS

Shank

Size

1/2' 5/8"

3/4" 7/8'

1"

1 - 1/41-1/2

· Pulls bar to last usable part length Pull/positions har +0.001 Eliminates expensive bar feeds Works close to chuck or collet nose · Does not interfere with adjacent tools or turret movement

Metric grippers also available from 3mm to 34mm! Please call for more information

Part

Number

DTC-APB0625

DTC-APB1000

Part

Number

DTC-PB0500

DTC-PB0625

DTC-PB0750

DTC-PB0875

DTC-PB1000

DTC-PB1250

DTC-PB1500

| Size     | Number              | Each      |
|----------|---------------------|-----------|
| For Us   | e With DTC-APB062   | 5 Adapter |
| 3/16"    | DTC-PBG0187         |           |
| 1/4"     | DTC-PBG0250         |           |
| 5/16"    | DTC-PBG0312         | \$55.00   |
| 3/8"     | DTC-PBG0375         |           |
| 7/16"    | DTC-PBG0437         |           |
| 1/2"     | DTC-PBG0500         |           |
| 9/16"    | DTC-PBG0562         |           |
| 5/8"     | DTC-PBG0625         | \$ 55.00  |
| 11/16"   | DTC-PBG0687         |           |
| 3/4"     | DTC-PBG0750         |           |
| For Us   | e With DTC-APB100   | 0 Adaptor |
| 13/16"   | DTC-PBG0812         |           |
| 7/8"     | DTC-PBG0875         | \$55.00   |
| 15/16"   | DTC-PBG0937         |           |
| 1"       | DTC-PBG1000         |           |
| 1-1/8"   | DTC-PBG1125         | \$55.00   |
| 1-1/4"   | DTC-PBG1250         |           |
|          | Direct Mount Grippe | ers       |
| 1-5/16"  | DTC-PBG1312         |           |
| 1-3/8"   | DTC-PBG1375         |           |
| 1-7/16"  | DTC-PBG1437         | \$55.00   |
| 1-1/2"   | DTC-PBG1500         |           |
| 1-9/16"  | DTC-PBG1562         |           |
| 1-5/8"   | DTC-PBG1625         |           |
| 1-11/16" | DTC-PBG1687         |           |
| 1-3/4"   | DTC-PBG1750         |           |
| 1-13/16" | DTC-PBG1812         | \$88.00   |
| 1-7/8"   | DTC-PBG1875         |           |
| 1-15/16" | DTC-PBG1937         |           |
| 2"       | DTC-PBG2000         |           |
|          |                     |           |

Part

GRIPPERS Grip

#### Bar Puller Kits-(Please Order Shank Separately)

Price

Each

\$55.00

Price

Each

\$68.00

\$68.00

| Part<br>NumberKit<br>PriceDTC-BPKIT1\$443.00DTC-BPKIT2\$355.00DTC-BPKIT3\$218.00DTC-BPKIT4\$348.00      |
|---|
| DTC-BPKIT2         \$355.00           DTC-BPKIT3         \$218.00           DTC-BPKIT4         \$348.00 |
| DTC-BPKIT3 \$218.00<br>DTC-BPKIT4 \$348.00  |
| DTC-BPKIT4 \$348.00   |
| •••••   |
|   |
| DTC-BPKIT5 \$260.00   |
| DTC-BPKIT6 \$896.00   |
|   |



- Protects & organizes vour valuable collets
- Sturdy steel construction
- Available for 3J & 16C collets
- 25 holes

| Description     | Part<br>Number | Price<br>Each |
|-----------------|----------------|---------------|
| 3J Collet Tray  | TRAY-125-3J    | \$65.00       |
| 16C Collet Tray | TRAY-125-16C   | \$65.00       |

Call Us Or Visit Our Website For Our Complete Selection!

с

0

2019-20 MASTER CATALOG

CARBIDE INSERTS THREADING/GROOVING

PRECISION TOOLS DEBURRING



LATHE CHUCKS LIVE CENTERS

VISE ACCESSORIES

**VISE JAWS** 

STRAIGHT SHANK

COLLET HOLDERS

**DRILL CHUCKS** TAP HOLDERS

В

DUNHAM

Price